

Sugar Sense Display, Facilitator's Guide: Key Messages for an Adult Audience



Recommended Uses

- 1. This display and facilitator's guide can be used with any adult audience, to generate discussion about sugar sweetened beverages. Use the Suggested Presentation Outline below to guide a group discussion.
- 2. This display is also appropriate to stand alone in a library, at a health fair, at a community recreation centre or other venue deemed appropriate.

General Overview

This display can be used to increase participant's knowledge and awareness about the amount of sugar found in common drinks and how it can affect their overall health. The visual impact of this display may increase awareness of this issue and cause people to "re-think" their drink choices.

Materials Needed

- 1. Sugar Sense Display; print and assemble.
- 2. Sugar Shocker Matching Game Handout, located at the end of the facilitator's guide; print copies for all participants.
- 3. Label Reading for Sugar Content Activity Cards (contains images of drink containers and nutrition facts tables), located at the end of the facilitator's guide; print one of each.

Optional Materials

- 1. Sugar (at least 1 cup), 1 teaspoon and a 1 cup glass measuring cup for Optional Activity i) 24 hour Sugar Meter.
- 2. One large bag of sugar for Optional Activity ii) A Year's Supply of Pop.

Background Information for the Presenter

Drinking sweetened beverages on a regular basis can displace nutritious foods and beverages from the diet. Drinks like pop provide a lot of sugar and calories but do not contain any important nutrients such as protein, fat, vitamins or minerals. The best source of hydration is water.

Regularly consuming drinks that are high in sugar and low in nutrients can be related to weight gain, obesity and increased risk of chronic disease and tooth decay. Many drinks that are high in sugar may also contain caffeine and phosphoric or citric acids. These acids lower the pH in the mouth, which contributes to dental erosion and can lead to tooth decay.

Suggested Presentation Outline

1. Presenter introduces self and topic

- o Today we're going to look at the amount of sugar in some common drinks.
- o Do you see any of your favorite drinks here?

2. Activity: Sugar Shocker Matching Game

- See handout, located at the end of the facilitator's guide. You will need to make extra copies in advance.
- Engage audience/capture attention by starting with this activity to get the group thinking.
- Hand out matching game and allow a couple minutes for participants to complete.
- Discuss answers and hold up the corresponding beverage card featuring each drink container and the corresponding bottle of sugar for the group to see.

Discuss key messages for each of the beverage cards. Note: you may want to add in some of the points listed below under 'Other Key Messages'

Pop, slush, sweetened fruit beverages:

- High in added sugar, with no nutritional value.
- Dark colas contain caffeine.
- May replace healthier beverages.

Diet Pop

- Does not contain sugar or calories but does not have any nutritional value either.
- Contains sugar substitutes.
- May contain caffeine.
- May replace healthier beverages.

Sports Drinks

- High in sugar. Also contain added electrolytes (sodium and potassium).
- Water is the best form of hydration during and after physical activity.
- Sports drinks should only be consumed for endurance activities (over 60 minutes of continuous exercise).

Energy Drinks

- High in sugar and high in caffeine.
- Contain added amino acids such as Taurine, as well as added herbal ingredients such as Ginseng and Gingko Biloba.
- Health Canada does not recommend energy drinks for pregnant or breastfeeding women, or for children, or for individuals sensitive to caffeine.

Unsweetened 100% Fruit Juice

- Source of vitamin C and other nutrients.
- Sugar is naturally occurring but still need to limit to ½-1 cup per day as it contains as much sugar as pop.
- Whole fruit contains more nutrients as well as fibre and is a better choice.

Plain Milk

- Good source of calcium, vitamin D and protein.
- Recommended intake for adults is 2 cups per day.
- Contains lactose, a naturally occurring sugar, but compared to other beverages milk is low in sugar.

Flavoured Milk

- Good source of calcium, vitamin D and protein.
- Contains added sugar and is higher in sugar than plain milk. This is a better choice then pop or other sweetened beverages but best to choose plain milk more often.

Other Beverages

Specialty Coffee Drinks

- Many specialty coffees (with added flavour syrups and toppings) can be very high in sugar and caffeine.
- Decaffeinated coffee beverages made with plain milk such as decaffeinated lattes can be a good source of calcium, vitamin D, and protein.

Vitamin Water

- Often high in added sugar.
- Contains some added vitamins and minerals.
- Some types contain added amino acids (taurine) or caffeine.
- Some types contain sugar substitutes.
- Whole fruit and vegetables will provide similar vitamins and minerals without the added sugar, taurine, or caffeine.

Water

Best source of hydration and best way to quench thirst. Flavour with lemon, lime or other fresh fruit. Try sparkling water with lemon or lime as an alternative to pop. Carry a water bottle to make it easy to stay hydrated.

3. Other Key Messages

Discuss added vs. naturally occurring sugars

- Added Sugar = all sugars that are added to food and beverages during processing. On the label look for words ending in 'ose' to indicate sugar. Also look for syrups, juice concentrates, molasses, etc.
- Naturally occurring sugar = sugars that are in whole foods that were put there by nature (not during processing). For example there are natural sugars in fruit (fructose) and in milk (lactose).
- Whole foods containing natural sugar such as an apple and orange or glass of plain milk are healthy ways to consume sugar which provides energy for our bodies. These foods also contain other nutrients that are good for us, for example milk is a good source of calcium, vitamin D and protein (builds strong bones).
- It is important to be aware of and limit added sugars that are easily consumed in large quantities from pop and sweetened beverages.

Discuss 100% fruit juice vs 'fruit drink', 'fruit beverage'

- It is important to know that there is a difference between 100% fruit juice and fruit drink, fruit beverage or fruit punch. Fruit drinks are less healthy as they are not made purely from fruit juice and often have sugar (glucose/fructose) as the first or second ingredient.
- The sugar in real fruit juice is naturally occurring sugar and in small quantities this is a more nutritious choice as it also contains other vitamins such as vitamin C.

Discuss portion size of 100% fruit juice

 Even though the sugar is natural the drink bottles are large, providing too much liquid sugar. A 500ml bottle of apple juice would provide as

- much sugar as 3 or 4 apples but you don't get any fiber or feel full from the juice.
- Best choice = whole piece of fruit or a small portion (1/2 cup) of 100% fruit juice.

o Discuss recommended maximum daily intake for added sugar

- There are differing expert opinions on what is an acceptable daily intake of added sugar. The latest recommendation from the World Health Organization is to limit added sugar to less than 5 % of calories, or around 6 teaspoons a day.
- Remember this does not include naturally occurring sugars in whole fruits, starchy vegetables, plain milk, etc.

3. Activity: Label Reading for Sugar Content

Materials needed: Activity Cards containing images of beverage containers and associated nutrition facts tables.

- •Working in pairs or small groups, ask participants to:
 - 1. Find the Nutrition Facts Table on the beverage label.
 - 2. Compare the serving size: Does the serving size match the size of the container? (TIP: If you have the Starbucks beverage, assume you are drinking a grande. If you have the Tim Hortons beverage, assume you are drinking a small.)
 - 3. How many grams of sugar are in each serving of this beverage?
 - 4. How many grams of sugar are in the whole container?
 - 5. How many teaspoons are in the whole container? Divide the grams of sugar by 4 to get the number of teaspoons (4 grams = 1 teaspoon of sugar = 1 sugar cube)
- •Example: 1 cup of orange juice has 32 grams of sugar. 32 divided by 4 = 8 teaspoons of sugar per cup.

Optional Activities:

i. 24 Hour Sugar Meter

Supplies: sugar (at least 1 cup), 1 teaspoon and a 1 cup glass measuring cup

- Invite a participant to assist you in measuring sugar into a cup
- Read out what might be an example of someone's 'typical day':
 - o 1 cup (250ml) juice with breakfast = 7 tsp
 - Stop at vending machine for a bottle pop (591 ml) at lunch =16.5 tsp
 - Meet friends at coffee shop after school/work and grab iced cappuccino = 15.5 tsp
 - Glass of milk with dinner (1 cup/250ml) = 4 tsp
 - o Daily total = 43 tsp (172 grams) of sugar

Discuss:

- Which sugars are naturally occurring and which are added?
 - Juice and milk have naturally occurring sugars and provide nutrients.
 - The pop and the iced cappuccino have added sugar.
- What would be a better choice than juice in the morning?

- Whole fruit like an orange, grapefruit, or banana.
- How many cups of milk are recommended each day to meet calcium and vitamin D needs?
 - o 2-3 cups for adults
- ii. A Year's Supply of Pop (Optional: 1 large bag of sugar for comparison sake)
 - Tell participants the statistic that drinking 591 ml bottle of pop every day for a year will provide 26 kg of sugar (405,000 calories JUST from sugar)
 - Hold up bag of sugar to compare
 - Discussion: Although diet pop doesn't contain sugar, it has other additives that have no nutritional value and could cause side effects, such as caffeine and artificial sweeteners. When we choose to drink pop, we have less room for healthy drinks such as milk or water.

Sugar Sense Matching Game

Directions: Match the beverage with the amount of sugar it contains.



Sugar Sense Matching Game ANSWER KEY

(Only print one copy for facilitator)

<u>Beverage</u>	Sugar Content
Apple Juice 473 mL	14 teaspoons
Chocolate Milk 500 mL	13 teaspoons
Cola 591 mL	17 teaspoons
Energy Drink 473 mL	14 teaspoons
Large Slush 1000 mL	24 teaspoons
Sports Drink 700mL	10 teaspoons
Water 500 mL	0 teaspoons
White Milk 2% 500 mL	6 teaspoons

Label Reading Activity – Image 1 – Gatorade





Label Reading Activity – Image 2 – Juice Box



Nutrition Facts
Serving Size 1 Juice Box
Amount Per Serving
Calories 90
% Daily Value*
Total Fat 0g 0%
Sodium 15mg 1%
Potassium 350mg 10%
Total Carb. 22g 7%
Sugars 19g
Protein 0g
Vitamin C 100% • Calcium 10%
Magnesium 2%
Not a significant source of fat cal., sat. fat, trans fat, cholest., fiber, vitamin A and iron.
*Percent Daily Values are based on a 2,000 calorie diet.
NO SLIGAR ADDED

Label Reading Activity – Image 3 – Pop





Label Reading Activity – Image 4 – Energy Drink



Amount Per Serving: Calories 110	
	% Daily Value
Total Fat 0g	0%
Sodium 100 mg	4%
otal Carb. 27 g	9%
Sugars 26 g	
rotein less than 1 g	
	tamin B6 250%
	henic Acid 50%
significant source of sat. fat, to itamin A, vitamin C, calcium a	man dat cholost

Label Reading Activity – Image 5 – Carbonated Water





Label Reading Activity – Image 6 – Vitamin Water





Label Reading Activity – Image 7 – Flavoured Latte



0% 35%

0%

Vitamin C

Calcium Iron

Label Reading Activity – Image 8 – Iced Cappuccino

